



## APPLICATIONS

**Eni Antifreeze Plus** is an amine, phosphate and nitrite free and concentrated engine coolant based on ethylene glycol.

## CUSTOMER ADVANTAGES

- The product protects all parts of cooling system from frost, oxidation and overheating.
- It is suitable for use in automotive and industrial cooling system and fire-fighting systems.

## SPECIFICATIONS & APPROVALS

- MAN 324 NF level
- VW TL 774C
- MB 325.0
- ASTM D 3306
- CUNA NC 956-16 (ed. '12)

## CHARACTERISTICS

Properties	Method	Unit	Typical
Appearance	-	-	clear
Colour	-	-	blue
Density at 20°C	ASTM D 1122	kg/m <sup>3</sup>	1130
pH 50%v solution	ASTM D 1287	-	8.4
Boiling point	ASTM D 1120	°C	170





## WARNINGS

- Mixture with other coolants is not advised.
- Please observe carefully manufacturer's specification on product.

## HANDLING INFORMATION

- The product has to be diluted with water before use. Best working conditions are obtained by diluting with good quality water in a 33 - 60% range by volume.
- Distilled or demineralised waters suggested.
- Freezing and boiling point of the coolant depend on the concentration of the product in water:

Volume %	Freezing Point (° C)	Boiling Point (° C)
33	-17 max	106 min
50	-36 max	108 min

